



VACUUM IRONING TABLE

Vacuum Steam Ironing Table that is available in various models as per the needs of the users. The Vacuum Steam Table also known as Steam Finishing Machine, Manufactured, exported and supplied by us is made using the highgrade raw materials confirming its high strength, sturdiness and competent presentation.

Features:

- Strong welded construction
- Dry padding throughout
- High quality steam ironing
- Protected against motor overload, current leakage and short circuit
- Table heater controlled by thermostatic

Advantages:

- Heat Resistant Silicon and Imported high porosity padding provided to Large Flat Top
- Extended exhaust duct having lightening device
- Interchangeability of Swiveling type arm
- Vibration less & Silent working
- Electricals accessible from front
- Safe and convenient to use
- Available in Powerful Suction through centrifugal blower that is activated by spring loaded full length foot pedal in conjunction with durable micro switch

MODEL	TABLE TOP SIZE	SUCTION MOTOR	OVERALL DIMENSIONS (W×D×L)	NET WT.
HLEVIT	1310×820	0.37KW	49"×32"×32"	170 KGS
HLEVIT	1520×1230	0.3KW×2	62"×50"×32"	350 KGS



Vacuum ironing table with inbuilt boiler

1. Vacuum ironing table inbuilt boiler is used in laundries for ironing clothes. This table is manufactured using quality guaranteed material and progressive technology under the firm observation of skilled engineers according to the set industry standards. Apart from this, our customers can avail this table in several technical specifications according to their requirements.

Models	No.of Motors	Power	Dimension Inches	Weight kgs.
RSVT - 425	1	3ph - 0.75 HP	51x30x36	80
RSVT - 430	1	3ph - 0.75 HP	51x36x36	84
RSVT - 54S	1	3ph - 0.75 HP	66x48x36	120
RSVT - 54D	2	3ph - 1.50 HP	66x48x36	125